



FLEMING-MASON ENERGY
COOPERATIVE, INC.

P.O. Box 328 • FLEMINGSBURG, KENTUCKY 41041 • (606) 845-2661 • FAX (606) 845-1008

October 13, 2008

Ms. Stephanie Stumbo
Executive Director
Kentucky Public Service Commission
P. O. Box 615
Frankfort, KY 40602

RECEIVED
OCT 16 2008
PUBLIC SERVICE
COMMISSION

RE: Case No. 2008-00161

Dear Ms. Stumbo:

Enclosed are an original and five copies of Fleming-Mason Energy's Direct Load Control tariff sheets as approved by the Public Service Commission in the order dated October 2, 2008.

Please contact the office if additional information is needed.

Sincerely,

A handwritten signature in black ink that reads "Joni K. Hazelrigg".

Joni K. Hazelrigg
CFO

Enclosures

Direct Load Control of Water Heaters Program

Direct Load Control of Air-Conditioners Program

Purpose

The Direct Load Control of Water Heaters and Air Conditioners will encourage the reduction in growth of peak demand, enabling the Company to utilize its system more efficiently and defer the construction of new generation.

Availability

Both the Direct Load Control of Water Heaters Program and the Direct Load Control of Air Conditioners Program are available to residential customers in the service territories of Fleming-Mason Energy Cooperative, Inc. Availability may be denied where, in the judgment of the Fleming-Mason Energy Cooperative, Inc., installation of the load control equipment is impractical.


Eligibility

To qualify for these Programs, the participant must be located in the service territory of Fleming-Mason Energy Cooperative, Inc. and have central air conditioning or heat pump units and/or 40-gallon (minimum) electric water heating units. The above appliances may be electrically cycled or interrupted in accordance with the rules of this Tariff.

Incentive - Direct Load Control of Water Heaters Program

Fleming-Mason Energy Cooperative, Inc. will provide an incentive to the participants in this program. Fleming-Mason Energy Cooperative, Inc. will credit the residential power bill of the participant \$10.00 per water heater each year. The participant will receive this credit regardless of whether the water heater is cycled during the month.

DATE OF ISSUE: Oct. 2, 2008 DATE EFFECTIVE: Service rendered on and after Oct. 2, 2008

ISSUED BY  TITLE President & Chief Executive Officer

Issued by authority of an Order of the Public Service Commission of Kentucky in

Case No. 2008-00161

Dated: October 13, 2008

Fleming-Mason Energy Cooperative, Inc.

Incentive - Direct Load Control of Air-Conditioners Program

Fleming-Mason Energy Cooperative, Inc. will provide an incentive to the participants in this program. The customer may select one of two alternatives. One, Fleming-Mason Energy Cooperative, Inc. will credit the residential power bill of the participant \$20.00 per air conditioner (\$5 per summer months, June, July, August, and September). Two, alternatively, EKPC, on behalf of Fleming-Mason Energy Cooperative, Inc., will provide and install at no cost a digital thermostat for the participant. The participant will receive one of these incentives regardless of whether the air conditioner or heat pump is controlled during the month.

Time Period for the Direct Load Control of Water Heaters Program

A load control switch will be placed on the water heater and may be electrically interrupted for a maximum time period of four hours.

East Kentucky Power Cooperative ("EKPC") will cycle the water heaters only during the hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.


Time Period for the Direct Load Control of Air Conditioners

A load control device (switch or thermostat) will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified (by cycling the unit off for periods of time up to 7.5 minutes of each 15-minute interval, or by adjusting the temperature setting on the thermostat up to two degrees) to reduce demand on the system.

EKPC will control the air conditioning units and heat pumps only during its summer on-peak billing hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
May through September	10:00 a.m. to 10:00 p.m.

DATE OF ISSUE: Oct. 2, 2008 DATE EFFECTIVE: Service rendered on and after Oct. 2, 2008

ISSUED BY:  TITLE President & Chief Executive Officer

Issued by authority of an Order of the Public Service Commission of Kentucky in

Case No. 2008-00161

Dated Oct. 13, 2008

Fleming-Mason Energy Cooperative, Inc.

Terms and Conditions

1. If a participant decides to withdraw from the program(s) or change to another load control option, Fleming-Mason Energy Cooperative, Inc. will endeavor to implement the change as soon as possible.

2. Prior to the installation of load control devices, Fleming-Mason Energy Cooperative, Inc. may inspect the participant's electrical equipment to insure good repair and working condition, but Fleming-Mason Energy Cooperative, Inc. shall not be responsible for the repair or maintenance of the electrical equipment.

3. EKPC, on behalf of Fleming-Mason Energy Cooperative, Inc., will install, own, and maintain the load management devices controlling the participant's air conditioner or water heater. The participant must allow Fleming-Mason Energy Cooperative, Inc. reasonable access to install, maintain, inspect, test and remove load control devices. Inability of Fleming-Mason Energy Cooperative, Inc. to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Fleming-Mason Energy Cooperative, Inc.'s option, result in discontinuance of credits under this tariff until such time as Fleming-Mason Energy Cooperative, Inc. is able to gain the required access.

DATE OF ISSUE: Oct. 2, 2008 DATE EFFECTIVE: Service rendered on and after Oct. 2, 2008

ISSUED BY  TITLE President & Chief Executive Officer

Issued by authority of an Order of the Public Service Commission of Kentucky in

Case No. 2008-00161

Dated Oct. 13, 2008